

9-22-00

A

PTO/SB/05 (2/98)

Approved for use through 09/30/2000 OMB 0651-0032

Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

Please type a plus sign (+) inside this box → ☐

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR § 1.53(b))

Attorney Docket No.	7000-027
First Inventor or Application Identifier	Dalrymple, William
Title	AUTOMATED WEB BROWSER SYNCHRONIZATION
Express Mail Label No.	EL555716332US

PTO
09/666583
JCS45 U.S.

09/21/00

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Commissioner for Patents
Box Patent Application
Washington, DC 20231

- ☒ *Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
- ☒ Specification [Total Pages 27]
(preferred arrangement set forth below)
 - Descriptive title to the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
- ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 3 sets of 5]
- ☒ Oath or Declaration [Total Pages 3]
 - ☒ Newly executed (original or copy)
 - ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
 - ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting
inventor(s) named in the prior application,
see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).
- ☐ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a
copy of the oath or declaration is supplied under Box 4b,
is considered as being part of the disclosure of the
accompanying application and is hereby incorporated by
reference therein.

- ☐ Microfiche Computer Program (Appendix)
- Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
 - ☐ Computer Readable Copy
 - ☐ Paper Copy (identical to computer copy)
 - ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS


- ☒ Assignment Papers (cover sheet & document(s))
- ☒ 37 C.F.R. § 3.73(b) Statement ☒ Power of Attorney
(when there is an assignee)
- ☐ English Translation Document (if applicable)
- ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
- ☐ Preliminary Amendment
- ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
- ☐ *Small Entity ☐ Statement filed in prior application,
Statement(s) Status still proper and desired
- ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
- ☐ Other: _____

*NOTE FOR ITEMS 1 & 14: IN ORDER TO BE
ENTITLED TO PAY SMALL ENTITY FEES, A SMALL
ENTITY STATEMENT IS REQUIRED (37 C.F.R.
§ 1.27), EXCEPT IF ONE FILED IN A PRIOR
APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information below and in a preliminary statement:
- | | | | |
|---------------------------------------|-------------------------------------|---|--|
| <input type="checkbox"/> Continuation | <input type="checkbox"/> Divisional | <input type="checkbox"/> Continuation-in-part (CIP) | of prior application No: _____ / _____ |
| Prior application information: | | Examiner: | Group/Art Unit: |

18. CORRESPONDENCE ADDRESS

<input checked="" type="checkbox"/> Customer Number or Bar Code Label		<input type="checkbox"/> Correspondence address below
NAME: _____		
ADDRESS: _____		
CITY: _____	STATE: _____	ZIP CODE: _____
COUNTRY: _____	TELEPHONE: _____	FAX: _____

Name (Print/Type)	Benjamin S. Withrow	Registration No. (Attorney/Agent)	40,876
Signature		Date	September 21, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL**for FY 2000***Patent fees are subject to annual revision.**Small Entity payments must be supported by a small entity statement. otherwise large entity fees must be paid. See Forms PTO/SB/09-12.**See 37 C.F.R. §§ 1.27 and 1.28.**Complete if Known*

TOTAL AMOUNT OF PAYMENT		(\$)1486.00	
Application Number			
Filing Date		September 21, 2000	
First Named Inventor		Dalrymple, William	
Examiner Name			
Group/Art Unit			
Attorney Docket No.		7000-027	

METHOD OF PAYMENT (check one)

1. ☒ The Commission is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number: 18-1164

Deposit Account Name: Rhodes & Mason, P L L C

- ☒ Charge Any Additional Fee Required Under 37 CFR §§1.16 and 1.17

2. ☒ Payment Enclosed.

☒ Check ☐ Money Order ☐ Other

FEE CALCULATION**1. BASIC FILING FEE**

Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid
101	690	201	345	Utility filing fee	690.00
106	310	206	155	Design filing fee	
107	480	207	240	Plant filing fee	
108	690	208	345	Reissue filing fee	
114	150	214	75	Provisional filing fee	
SUBTOTAL (1)					(\$)690.00

2. EXTRA CLAIM FEES

	Extra Claims	Fee from below	Fee Paid
Total Claims	36	-20** = 16 X 18.00 =	288.00
Independent Claims	9	-3** = 6 X 78.00 =	468.00
Multiple Dependent Claims			

** or number previously paid, if greater, For Reissues, see below

Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description
103	18	203	9	Claims in excess of 20
102	78	202	39	Independent claims in excess of 3
104	260	204	130	Multiple dependent claim
109	78	209	39	**Reissue independent claims over original patent
110	18	210	9	**Reissue claims in excess of 20 and over original patent
SUBTOTAL (2)				(\$)756.00

FEE CALCULATION (continued)**3. ADDITIONAL FEES**

Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for reexamination	
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
113	1,840*	113	1,840*	Requesting publication of SIR after Examination action	
115	110	215	55	Extension for reply within first month	
116	380	216	190	Extension for reply within second month	
117	870	217	435	Extension for reply within third month	
118	1,360	218	680	Extension for reply within fourth month	
128	1,850	228	925	Extension for reply within fifth month	
119	300	219	150	Notice of Appeal	
120	300	220	150	Filing a brief in support of an appeal	
121	260	221	130	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidable	
141	1,210	241	605	Petition to revive - unintentional	
142	1,210	242	605	Utility issue fee (or reissue)	
143	430	243	215	Design issue fee	
144	580	244	290	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Stmt	
581	40	581	40	Recording each patent assignment per property (times number of properties)	40.00
146	690	246	345	Filing a submission after final rejection (37 CFR §1.129(a))	
149	690	249	345	For each additional invention to be examined (37 CFR §1.129(b))	

Other fee (specify)

Other fee (specify)

*Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$)40.00**SUBMITTED BY**

Name (Print/Type)	Benjamin S. Withrow	Registration No. (Attorney/Agent)	40,876	Complete (if applicable)	
Signature		Telephone	(919) 654-4566	Date	09/21/2000

WARNING:

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

**UNITED STATES PATENT
APPLICATION
FOR GRANT OF LETTERS PATENT**

**William C. Dalrymple
Ta-Ming Chen
Steve McKinnon
INVENTORS**

**AUTOMATED WEB
BROWSER
SYNCHRONIZATION**

Rhodes & Mason, P.L.L.C.

P.O. Box 1167
Cary, NC 27512
(919) 654-4566

096653-0399960

AUTOMATED WEB BROWSER SYNCHRONIZATION

This application claims the benefit of provisional application Number 60/203,146, filed May 9, 2000 under 35
5 U.S.C. Section 119(e).

Field of the Invention

The present invention generally relates to web browsers, and in particular, to automatically
10 synchronizing multiple web browsers.

Background of the Invention

Given the ever-increasing popularity of the Internet and the current state of network technology, both leisure
15 and business users often desire to share and view web pages with one another. Although today's desktop software makes it very easy to email a web page or the web page's uniform resource locator (URL) to one or more parties, the process is relatively slow and undesirable
20 when the parties are engaged in a voice call or real-time, online messaging session. During these sessions, there is currently no way to synchronize the browsers for all of the users party to the call.

Often, users engaged in a real-time communication
25 session are forced to relay a URL to another user, who must retype the desired URL. Verbal communication of web addresses is fraught with misinterpretation and misunderstanding of the URL. Further, relaying and typing URLs during voice or real-time messaging sessions
30 is subject to typographical errors. Alternatively, emailing URLs during communication sessions is very slow and inhibiting. As such, there is a need for a technique that provides for efficiently updating all of the users'

web browsers when any one of the users accesses a new web page.

Summary of the Invention

5 The present invention allows synchronization of web browsers to eliminate the need for users to convey uniform resource locators (URLs) or like location indicia. The invention operates with a local user's browser to identify the URL for a newly loaded web page
10 and transmit this newly loaded URL to a remote user's computer for loading on the remote user's browser. Further, the invention may also provide for receiving URLs associated with web pages loaded onto the remote user's browser and loading the web pages on the local
15 user's browser using the received URLs.

Preferably, a web browser interface device interacts with the browser to receive URLs originally selected by the local user and forward these URLs to the remote user. Similarly, the web browser interface device receives URLs
20 from the remote user and controls the local browser to load the web page based on the URL from the remote user. The web browser interface device also facilitates communication with and between other web browser interface devices to facilitate the transport of URL or
25 like location indicia between the devices. Preferably, the web browser interface device interacts with the associated browser through a standard application protocol interface (API) and facilitates communications between the devices using the session initiation protocol
30 (SIP). Further, the invention may be configured to allow a local user to selectively accept the automatic loading of a web page associated with the URL sent from the remote user. Likewise, the local user may selectively forward the URL associated with newly loaded web pages.

The present invention is well-suited to operate in conjunction with a voice call between the users wherein the respective computers are engaged in a communication session. The URL information may be sent separately from
5 or integrated with voice data during the call. Further, the voice communication may occur over the public switched telephone network or a packet-switched network, such as the Internet. If the voice call is implemented via the users' computers, the URL information may be
10 integrated with the voice call.

Those skilled in the art will appreciate the scope of the present invention and realize additional aspects thereof after reading the following detailed description of the preferred embodiments of the invention in
15 association with the accompanying drawing figures.

Brief Description of the Drawing Figures

Figure 1 is a block representation of an architecture for providing web browser synchronization
20 according to a preferred embodiment of the present invention.

Figure 2 is a block representation outlining the process of establishing a session between a caller and a callee according to a first embodiment of the present
25 invention.

Figure 3 is a block representation outlining the process of establishing a session between a caller and a callee according to a second embodiment of the present
invention.

Figure 4 is a flow diagram outlining a browser synchronization process according to a preferred
30 embodiment of the present invention.

Figure 5 is a block representation of a computer according to the present invention.

Reference will now be made in detail to the preferred embodiments of the present invention, examples of which are illustrated in the accompanying drawings, wherein like numerals indicate the same elements
5 throughout the several views.

Detailed Description of the Preferred Embodiments

The present invention relates to synchronizing two or more web browsers by automatically pushing and
10 receiving web content between two or more computers engaged in a communication session. Once a session between two or more computers is established, any user may easily and automatically share the current web page that they are viewing with all other users engaged in the
15 session. When the other users receive a URL or other location indicia for the web page, they can have their local web browser automatically load the web page, or optionally, interact with a user interface to choose whether or not to load the web page.

20 The invention is particularly useful when combined with a voice call using techniques as described in pending application serial numbers 09/164,885, entitled "Method and Apparatus for Integrated Multimedia Call Control," filed October 1, 1998, and 09/065,124, entitled
25 "Integrated Telecommunication Collaboration System," filed April 23, 1998, which are incorporated herein by reference. When users are engaged in a voice call or messaging session, the present invention provides the ability to share web pages, URLs, or other web content
30 between computers during the call with no additional setup required other than establishing the call. The invention is equally useful outside of a voice or messaging session, wherein users may synchronize their browsers in the absence of other communications. Even

though the preferred embodiment of the invention as described below identifies specific protocols and software technologies, those skilled in the art will recognize numerous protocols and related technologies that exist and that will be developed that are capable of carrying out the inventive concepts described herein.

Preferably, the present invention is implemented in a manner readily compatible with existing browser applications, such as Microsoft's Internet Explorer and Netscape's Communicator. These and other widely available browsers support application protocol interfaces (APIs) that allow external software applications to control the functions of a local browser running on the same computer. The API provided by the browsers supports the ability to notify external applications of URL updates and allows external applications to automatically control the loading of web pages by the browser. Since most web browsers are configured to allow external programs to control their operation, the preferred embodiment of the present invention incorporates a software application called a web browser interface device (WBID), which is configured to cooperate with the web browser through an API.

Turning now to Figure 1, a block representation of two computers 10 engaged in a session according to the present invention is depicted. The computers may communicate over any type of network, such as a packet-switched network supporting the TCP/IP protocol suite. Preferably, each computer 10 will include a web browser 12 having an API 14 cooperating with a WBID 16. The WBID 16 can provide two important functions. The first is to interact with the associated web browser 12, and the second is to establish sessions with other WBIDs 16 or compatible browsers running on remote computers 10. The

API 14 used by the preferred embodiment of the present invention is Microsoft's Dynamic Data Exchange (DDE) API available on all Windows-based platforms. A DDE API provides the ability for Windows-based applications to dynamically exchange information. For example, DDE may allow a spreadsheet application to dynamically exchange information with a word processor to ensure that the corresponding document contains up-to-date information. Although there are a number of automation APIs that provide the same capability, such as Microsoft's COM interfaces, most browsers support the DDE API. Dynamic Data Exchange documentation is readily available throughout the software industry and from Microsoft Corporation, Redmond, Washington. The interaction between the WBID 16 and the web browser 12 using a DDE-based API 14 is described in further detail below.

Preferably, each WBID 16 has the ability to establish a session with other WBIDs 16 over a data network transport of any type. There are numerous protocols for establishing these types of sessions and any of them are sufficient as long as they are capable of communicating information from one user to another according to the concepts described herein. The preferred embodiment of the invention uses the session initiation protocol (SIP) as described in the Internet Engineering Task Force's (IETF) RFC2543, which is incorporated herein by reference in its entirety.

The WBID may establish sessions using any number of techniques as will be apparent to those of ordinary skill in the art. With respect to the present invention, it is important that once a session is established, URL information or like web page location indicia can be passed between the WBIDs 16 of the various computers engaged in a session. Prior to describing the details of

096630
096631
096632
096633
096634
096635
096636
096637
096638
096639
096640
096641
096642
096643
096644
096645
096646
096647
096648
096649
096650
096651
096652
096653
096654
096655
096656
096657
096658
096659
096660
096661
096662
096663
096664
096665
096666
096667
096668
096669
096670
096671
096672
096673
096674
096675
096676
096677
096678
096679
096680
096681
096682
096683
096684
096685
096686
096687
096688
096689
096690
096691
096692
096693
096694
096695
096696
096697
096698
096699

The INVITE request will typically contain a session
15 description providing the callee with sufficient
information to join the session. For multi-cast
sessions, such as those used in conferencing, the session
description defines the media types and formats that may
be used or otherwise distributed in the session.

Notably, for a conference session where there are multiple callees, the proxy server 18 will send INVITES

to each of the callee computers 10 based on addresses received from the location service server 20 as necessary. A user agent server running on the callee computer 10 will alert the callee that a session is being requested, and if the session is accepted by the callee, return a success indication (200 OK) to the proxy server 18 (step 108). The proxy server 18 will relay the indication to the caller computer 10 (step 110). Receipt of this indication by the caller computer 10 will result in sending an ACK message to the proxy server 18 (step 112), which will forward the ACK message to callee computer 10 (step 114). Alternatively, the ACK message may be sent directly to the callee computer 10. Throughout the session, the request and responses will typically have the same session or call identification.

Session establishment using a redirect server 22 is shown in Figure 3. Initiation begins when the caller computer 10 sends an INVITE request to the redirect server 22 (step 200), which contacts the location service server 20 to obtain the specific address for the callee computer 10 (steps 202 and 204). Instead of contacting the callee computer 10 directly as described above with the proxy server 18, the redirect server 22 in this embodiment returns the specific address information to the caller computer 10 (step 206). The caller computer 10 then sends an ACK message to the redirect server 22 to indicate receipt of the callee computer's address (step 208) and proceeds to initiate a session with the callee computer 10 directly.

The caller computer 10 issues a new INVITE request to the address returned by the redirect server 22 (step 210). Similarly, the user agent server running on the callee computer 10 will inform the callee that a session is being initiated, and assuming the session is accepted

by the callee, the user agent server will send an acceptance message (200 OK) to the caller computer 10 (step 212). The caller computer 10 will respond with an ACK message to the callee computer 10 to finalize session establishment (step 214).

To facilitate web synchronization according to the preferred embodiment of the present invention, users engaged in a session allowing web synchronization will have a WBID 16 and web browser 12 running on their computer 10. The WBID 16 will initially instantiate itself as a DDE server and define a callback method that will receive and process DDE information received from the web browser 12 via the API 14. Preferably, the WBID 16 will access the application registry for the computer 10 and determine which browser is registered as the default web browser. The WBID 16 will then instruct the default web browser 12 to inform the WBID 16 of URLs for web pages loaded by the web browser 12. This may be accomplished by opening a DDE connection and transaction via API 14 with the DDE topic of "WWW_RegisterURLEcho." The web browser 12 will preferably only send URLs for web pages that are selected by the user and not those loaded in response to receiving a URL from a remote user. The web browser 12 is now configured to alert the WBID 16 via the API 14 any time a new web page is loaded by the web browser 12.

In operation, a "caller" establishes a session with a "callee" and passes the currently loaded URL to the callee's WBID 16. Preferably, this is accomplished with an SIP INVITE message wherein the URL information is passed using Multipurpose Internet Message Extensions (MIME). MIME defines a technique whereby an object can contain a reference or pointer to data rather than having to contain the data itself. This system is embodied in

instructs the web browser 12 to automatically load URLs received via the API 14 from the WBID 16. If the web browser 12 is not already opened, the WBID 16 may use the Win32 DLL function called "shell_execute" to launch the web browser 12. The web browser 12 receiving the URL will load and display the corresponding web page so that the caller and callee are synchronized to the same web page.

The flow diagram of Figure 4 details a typical session between two users. Assume that web browser A and WBID A are the web browser 12 and WBID 12, respectively, running on user A's computer 10. Similarly, assume web browser B and WBID B are the web browser 12 and WBID 16, respectively, running on user B's computer. Initially, WBID A and WBID B register for URL updates with web browser A and web browser B, respectively, using the DDE topic of "WWW_RegisterURLEcho" (steps 300 and 302). When user A loads a new web page on web browser A (step 304), web browser A notifies WBID A of the currently loaded URL (step 306). If a session has not been initiated between user A and user B, WBID A establishes a session with WBID B, preferably using SIP, by sending an INVITE request containing the current URL to WBID B (step 308). The WBID B will respond with a 200 OK response (step 310), which will trigger the WBID A to send an ACK message to the WBID B (step 312).

At this point, there is an active session between the WBID A and the WBID B. Further, the WBID B has an INVITE request containing the URL of the web page loaded on web browser A. WBID B will parse out the URL from the INVITE request and request web browser B to load the suggested URL by sending the DDE topic of "WWW_OpenURL" with the URL to web browser B (step 314). This request may be an instruction to automatically load the URL or a

query to the user as to whether or not to load the URL. In the latter case, the web browser will load the URL only if approved by the user (step 316).

Assuming that the web page for the received URL is automatically loaded or the user accepts the suggested URL, web browsers A and B will contain the same web page associated with the URL. Now assume that the user B is the next party to select a new web page to load (step 318). At this moment, web browser B notifies the WBID B through the API 14 of the newly loaded web page by providing the URL associated with the web page using a DDE topic of "WWW_EchoURL" (step 320). The WBID B will send a re-INVITE to the WBID A to identify the loading of the new web page at web browser B (step 322). The re-INVITE request results in the WBID A responding with a 200 OK (step 324), which causes the WBID B to respond with an ACK message (step 326).

The WBID A will then parse out the accompanying URL from the re-INVITE request and instruct the web browser A to load the suggested URL via the API 14 using the DDE topic of "WWW_OpenURL" (step 328). At this point, the web browser A will automatically load the web page associated with the URL or query the user A as to whether or not to load the web page (step 330). This process will continue as the users traverse from one web page to another until one of the users elects to end the session wherein the corresponding WBID will send a BYE request to the other WBID(s) to end the session (step 332).

Importantly, most of the description is focused on the session between two users, but those skilled in the art will recognize the concepts are equally applicable to multi-user sessions where anyone or all of the computers in the session will track and provide current URL information. Notably, in a conference setting it may be

0966583-092100

preferable to define a conference leader wherein other computers in the session will track the pages loaded by the leader. The remaining parties may be allowed to load new pages; however, changes by the remaining parties will not be sent to the leader or others in the conference. Alternatively, changes by the receiving parties may be sent wherein the other parties are given the option to load the corresponding web page. Those skilled in the art will recognize the multiple combinations of implementing the present invention in two party sessions as well as conference settings including more than two parties.

As shown in Figure 5, the web browser 16 may run on any type of computer having a control system 24 associated with memory 26 having the requisite software 28 to provide the web browser 12, API 14 and the WBID 16. The control system 24 is associated with a network interface 30 to facilitate communications across the network to communicate with the other computers 10. Those skilled in the art will also recognize that the functionality of the WBID 16 may be incorporated totally within the web browser 12 and not have to be a stand alone application, object or hardware device interacting with the web browser 12 through the API 14.

As noted, the specific protocols in the software configuration may vary based on the desired design and implementation. The primary purpose of the invention is to allow users to easily share the current web page that they are viewing with others. When a user receives a suggested URL or like location indicia, they can have the web page automatically loaded at their browser or optionally interact with the interface to manually load the web page as desired. The invention eliminates the need to email, vocally repeat, or type web page addresses

007260" 092100

numerous times while in a session with other users.
Those skilled in the art will recognize various
modifications to the present invention within the
concepts disclosed herein. These concepts are considered
5 part of this disclosure and within the scope of the
claims that follow.

007260" 09669960

Claims

What is claimed is:

1. A computer readable media containing software for facilitating synchronization of web browsers, said
5 software comprising instructions for a computer to:
 - a) automatically identify location indicia for a first web page loaded by an associated browser;
and
 - b) send the location indicia for the first web page
10 over a network for loading on a remote browser running on a remote computer.
2. The computer readable media of claim 1 further comprising instructions to:
15
 - a) receive location indicia for a second web page loaded by the remote browser running on the remote computer; and
 - b) effect loading of the second web page on the associated browser based on the location indicia
20 for the second web page.
3. The computer readable media of claim 1 further comprising instructions to:
25
 - a) query a user of the associated browser whether to send the location indicia for the first web page for loading on the remote browser;
 - b) receive a response to the query; and
 - c) if the response is affirmative, send the location indicia for the first web page for
30 loading on the remote browser.
4. The computer readable media of claim 2 further comprising instructions to:

007260-8899960

- a) upon receiving the location indicia for the second web page, query a user of the associated browser whether to load the second web page;
- b) receive a response to the query; and
- 5 c) if the response is affirmative, effect loading of the second web page on the associated browser.
5. The computer readable media of claim 1 further comprising instructions to send the location indicia for the first web page over the network for loading on a plurality of remote browsers.
- 10 6. The computer readable media of claim 1 further comprising instructions to configure the associated browser to provide the location indicia for the first web page upon loading the first web page.
- 15 7. The computer readable media of claim 1 further comprising instructions to establish a communication session with the remote computer over the network to enable sending the location indicia for the first web page for loading on the remote browser.
- 20 8. The computer readable media of claim 1 further comprising instructions to implement the associated browser wherein the associated browser is configured for web browser synchronization.
- 25 9. A computer readable media containing software for implementing a web browser interface device facilitating synchronization of web browsers, said software comprising instructions for a computer to:
- 30

- 5 a) receive from an associated browser location indicia for a first web page loaded by the associated browser;
- b) send the location indicia for the first web page over a network for loading on a remote browser running on a remote computer;
- c) receive location indicia for a second web page loaded by the remote browser running on the remote computer; and
- 10 d) instruct the associated browser to load the second web page on the associated browser based on the location indicia for the second web page.

10. The computer readable media of claim 9 further comprising instructions to:
- 15 a) configure the associated browser to provide location indicia for a web page for sending to the remote browser, the web page initially selected by a user of the associated browser and loaded by the associated browser; and
- 20 b) configure the associated browser to receive and load the web page initially selected by a user of the remote browser upon receiving the location indicia for the web page initially selected by the user of the remote browser,
- 25 wherein the first web page is a web page initially selected by a user of the associated browser and the second web page is a web page initially selected by a user of the remote browser.

- 30 11. The computer readable media of claim 9 further comprising instructions to establish a communication session with the remote computer over the network to enable sending the location indicia for the first

007260 E89950

12. The computer readable media of claim 11 wherein the communication session is established with a web interface device running in association with the remote browser on the remote computer.
13. The computer readable media of claim 11 wherein the communication session is established with the remote browser on the remote computer.
14. The computer readable media of claim 9 wherein interaction with the associated browser is conducted via an application protocol interface.
15. The computer readable media of claim 9 further comprising instructions to interact with the associated operating system to affect an applications protocol interface server.
16. The computer readable media of claim 9 further comprising instructions to incorporate the received location indicia for the first web page in an invite message wherein the instructions to send the location indicia for the first web page over the network send the invite message to the remote computer using session initiation protocol.
17. The computer readable media of claim 16 wherein the instructions to receive the location indicia for the second web page over the network includes receiving an invite message from the remote computer and further comprising instructions to remove the

location indicia for the second web page from the received invite message.

18. A computer readable media containing software for
5 implementing a web browser interface device
facilitating synchronization of web browsers, said
software comprising instructions for a computer to:
- 10 a) interact with an associated browser to receive a
uniform resource locator for a first web page
initially selected to load by a user of the
associated browser;
 - b) forward the uniform resource locator for first
web across a network to load on a remote
browser;
 - 15 c) receive a uniform resource locator for a second
web page selected by a remote user to load on
the remote browser; and
 - d) effect loading of the second web page upon
receiving the uniform resource locator for the
20 second web page.
19. The computer readable media of claim 18 further
comprising instructions to:
- 25 a) query the user of the associated browser whether
to send the location indicia for the first web
page for loading on the remote browser;
 - b) receive a response to the query; and
 - c) if the response is affirmative, send the
location indicia for the first web page for
30 loading on the remote browser.
20. The computer readable media of claim 18 further
comprising instructions to:

- 001250 096583 092100
- a) upon receiving the location indicia for the second web page, query the user of the associated browser whether to load the second web page;
 - 5 b) receive a response to the query; and
 - c) if the response is affirmative, effect loading of the second web page by the associated browser.
- 10 21. The computer readable media of claim 18 further comprising instructions to send the location indicia for the first web page over the network for loading on a plurality of remote browsers.
- 15 22. A system for facilitating synchronization of web browsers comprising a central processing unit and a network interface providing for communications with a remote computer over a network, said central processing unit adapted to:
- 20 a) run a local browser configured to download web pages based on location indicia, and
- b) obtain location indicia for a first web page loaded by the local browser;
- c) send the location indicia for the first web page
- 25 over a network for loading on a remote browser running on a remote computer;
- d) receive location indicia for a second web page loaded by the remote browser running on the remote computer; and
- 30 e) load the second web page on the local browser based on the location indicia for the second web page.

23. The system of claim 22 wherein said central processing unit is further adapted to:
- a) query the user of the system whether to send the location indicia for the first web page for loading on the remote browser;
 - b) receive a response to the query from the user; and
 - c) if the response is affirmative, send the location indicia for the first web page for loading on the remote browser.
24. The system of claim 22 wherein said central processing unit is further adapted to:
- a) upon receiving the location indicia for the second web page, query the user of the system whether to load the second web page;
 - b) receive a response to the query from the user; and
 - c) if the response is affirmative, effect loading of the second web page by the local browser.
25. A system for facilitating synchronization of web browsers comprising a central processing unit and a network interface providing communication with remote computers over a network, said central processing unit adapted to:
- a) run a local browser configured to download web pages based on location indicia, and
 - b) run a browser interface device configured to:
 - i) obtain from the local browser location indicia for a first web page loaded by the local browser, the first web page initially selected by a user of the local browser;

5

15

20

25

30

- a) upon receiving the location indicia for the second web page, query the user of the system whether to load the second web page;
- b) receive a response to the query from the user; and
- c) if the response is affirmative, effect loading of the second web page by the local browser.

28. A method facilitating synchronization of web browsers comprising:
- a) automatically identifying location indicia for a first web page loaded by a local browser;
 - 5 b) sending the location indicia for the first web page over a network for loading on a remote browser running on a remote computer;
 - c) receiving over the network location indicia for a second web page loaded by the remote browser running on the remote computer; and
 - 10 d) effecting loading of the second web page on the associated browser based on the location indicia for the second web page.
29. The method of claim 28 further comprising:
- a) querying a user of the local browser whether to send the location indicia for the first web page for loading on the remote browser;
 - b) receiving a response to the query; and
 - 20 c) if the response is affirmative, sending the location indicia for the first web page for loading on the remote browser.
30. The method claim 28 further comprising:
- 25 a) upon receiving the location indicia for the second web page, querying a user of the local browser whether to load the second web page;
 - b) receiving a response to the query; and
 - c) if the response is affirmative, effecting
 - 30 loading of the second web page on the local browser.
31. The method of claim 28 further comprising sending the location indicia for the first web page over the

0966533-09100
007260-8999960

network for loading on a plurality of remote browsers.

32. The method of claim 28 further comprising
5 establishing a communication session with the remote
computer over the network to enable sending the
location indicia for the first web page for loading
on the remote browser.
- 10 33. A method facilitating synchronization of web
browsers comprising:
- a) receiving from a local browser location indicia
for a first web page loaded by the associated
browser;
 - 15 b) sending the location indicia for the first web
page over a network for loading on a remote
browser running on a remote computer;
 - c) receiving location indicia for a second web page
loaded by the remote browser running on the
20 remote computer; and
 - d) instructing the local browser to load the second
web page on the local browser based on the
location indicia for the second web page.
- 25 34. The method of claim 33 further comprising:
- a) configuring the local browser to provide
location indicia for a web page for sending to
the remote browser, the web page initially
selected by a user of the associated browser and
30 loaded by the local browser; and
 - b) configuring the associated browser to receive
and load the web page initially selected by a
user of the remote browser upon receiving the

location indicia for the web page initially
selected by the user of the remote browser,
wherein the first web page is a web page initially
selected by a user of the local browser and the
5 second web page is a web page initially selected by
a user of the remote browser.

35. A method facilitating synchronization of web
browsers comprising:

- 10 a) interacting with a local browser to receive a
uniform resource locator for a first web page
initially selected to load by a user of the
local browser;
- 15 b) forwarding the uniform resource locator for
first web across a network to load on a remote
browser;
- c) receiving a uniform resource locator for a
second web page selected by a remote user to
load on the remote browser; and
- 20 d) effecting loading of the second web page after
receiving the uniform resource locator for the
second web page.

36. A system for facilitating synchronization of web
25 browsers comprising:

- a) means for interacting with a local browser to
receive a uniform resource locator for a first
web page initially selected to load by a user of
the local browser;
- 30 b) means for forwarding the uniform resource
locator for first web across a network to load
on a remote browser;

0966583-092100

- c) means for receiving a uniform resource locator for a second web page selected by a remote user to load on the remote browser; and
- d) means for affecting the load of the second web page after receiving the uniform resource locator for the second web page.

5

Abstract of the Disclosure

The present invention allows synchronization of web browsers to eliminate the need for users to convey uniform resource locators (URLs) or like location

5 indicia. The invention operates with a local user's browser to identify the URL for a newly loaded web page and transmit this newly loaded URL to a remote user's computer for loading on the remote user's browser.

Further, the invention also provides for receiving URLs
10 associated with web pages loaded onto the remote user's
browser and loading the web pages on the local user's
browser using the received URLs.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

Please type a plus sign (+) inside this box →



PTO/SB/01 (12-97)

Approved for use through 9/30/00 OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)	Attorney Docket Number	7000-027
	First Named Inventor	Dalrymple, William
	COMPLETE IF KNOWN	
	Application Number	/
	Filing Date	
<input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	Group Art Unit	
	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

AUTOMATED WEB BROWSER SYNCHRONIZATION

(Title of the Invention)

the specification of which



is attached hereto

OR



was filed on (MM/DD/YYYY) [] as United States Application Number or PCT International

Application Number [] and was amended on (MM/DD/YYYY) [] (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.
60/203,146	05/09/2000	

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box →



PTO/SB/01 (12-97)

Approved for use through 9/30/00 OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent

and Trademark Office connected therewith: ☒ Customer Number
OR

22033 AND 24631

Place Customer
Number Bar Code
Label here

☐ Registered practitioner(s) name/registration number listed below

Name	Registration Number	Name	Registration Number

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto

Direct all correspondence to: ☒ Customer Number
or Bar Code Label



Correspondence address below

Name
Address
Address
City
Country

24631

PATENT TRADEMARK OFFICE

Telephone

Fax

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])		Family Name or Surname	
William C.		Dalrymple	
Inventor's Signature	Date		
Residence: City	Cary	State	NC
Post Office Address	104 Miss Georgia Court		
Post Office Address			
City	Cary	State	NC
ZIP	27511	Country	USA

☒ Additional inventors are being named on the 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.

Please type a plus sign (+) inside this box →



PTO/SB/02A (3-97)

Approved for use through 9/30/98 OMB 0651-0032
Patent and Trademark Office, U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet

Page 1 of 1

Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])		Family Name or Surname					
Ta-Ming		Chen					
Inventor's Signature					Date	9/21/2000	
Residence: City	Cary	State	NC	Country	USA	Citizenship	TAIWAN
Post Office Address	103 Tack Court						
Post Office Address							
City	Cary	State	NC	ZIP	27513	Country	USA
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])		Family Name or Surname					
Steve		McKinnon					
Inventor's Signature					Date	9/21/00	
Residence: City	Cary	State	NC	Country	USA	Citizenship	USA
Post Office Address	115 Monarch Way						
Post Office Address							
City	Cary	State	NC	ZIP	27511	Country	USA
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle [if any])		Family Name or Surname					
Inventor's Signature					Date		
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	

Burden Hour Statement This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231